



APPENDIX C TO SUBPART R OF PART 1926—ILLUSTRATIONS OF BRIDGING TERMINUS POINTS: NON-MANDATORY

Appendix C to Subpart R — Illustrations of Bridging Terminus Points: Non-mandatory


Guidelines for Complying with §§1926.757(a)(10) and 1926.757(c)(5).




HORIZONTAL BRIDGING
TERMINUS AT WALL




HORIZONTAL BRIDGING
TERMINUS AT WALL




HORIZONTAL BRIDGING
TERMINUS AT PANEL WALL




HORIZONTAL BRIDGING
TERMINUS AT
STRUCTURAL SHAPE




HORIZONTAL BRIDGING
TERMINUS AT STRUCTURAL
SHAPE WITH OPTIONAL
"X-BRIDGING"




BOLTED DIAGONAL BRIDGING
TERMINUS AT WALL




BOLTED DIAGONAL BRIDGING
TERMINUS AT WALL




BOLTED DIAGONAL BRIDGING
TERMINUS AT WALL




JOISTS PAIR BRIDGING
TERMINUS POINT



JOISTS PAIR BRIDGING
TERMINUS POINT
W/HORIZ. TRUSS



HORIZONTAL BRIDGING
TERMINUS POINT
SECURED BY TEMP.
GUY CABLES



DIAGONAL BRIDGING
TERMINUS POINT
SECURED BY TEMP.
GUY CABLES

APPENDIX D TO SUBPART R OF PART
1926—ILLUSTRATION OF THE USE OF
CONTROL LINES TO DEMARCATe CON-
TROLLED DECKING ZONES (CDZs):
NON-MANDATORY GUIDELINES FOR
COMPLYING WITH §1926.760(c)(3)

(1) When used to control access to areas
where leading edge and initial securement of

metal deck and other operations connected
with leading edge work are taking place, the
controlled decking zone (CDZ) is defined by a
control line or by any other means that re-
stricts access.

(i) A control line for a CDZ is erected not
less than 6 feet (1.8 m) nor more than 90 feet
(27.4 m) from the leading edge.

(ii) Control lines extend along the entire
length of the unprotected or leading edge